

Planning III-B: Estimating Software Size - The PROBE Method

AU INSY 560, Winter 1997, Dan Turk

Humphrey Ch. 5b - slide 1

Outline


- PROBE
- Object categories
- Ways to develop & improve your estimating skills
- Homework #4

AU INSY 560, Winter 1997, Dan Turk

Humphrey Ch. 5b - slide 2

PROBE (cf. Humphrey, 1995, 117-125)

- PROBE = PROxy-Based Estimating
- Uses objects (or functions) as proxies
- See diagram below, script on p. 679 & 680
- Walk through example on p. 120.



AU INSY 560, Winter 1997, Dan Turk

Humphrey Ch. 5b - slide 3

Object Categories (cf. Humphrey, 1995, 125-134)

- In order to yield the most useful information, your historical database must eventually be categorized according to type and size of object.
- Use basic "fuzzy-logic" approach and create categories and size ranges based on assumed normally distributed sizes.
- Note that s^2 and s should be calculated with $n-1$ rather than n as is done in the example ($n < 30$).
- Natural log (\ln) can be used to create normally-distributed LOC data from which LOC category ranges can be more effectively calculated.
- Walk through example on p. 126-134. Note incorrect calculations.

AU INSY 560, Winter 1997, Dan Turk

Humphrey Ch. 5b - slide 4

Ways to Develop & Improve Your Estimating Skills

(cf. Humphrey, 1995, p. 134-141)

- Estimate many small pieces and sum them to get a total estimate - the sum of the variances is probably smaller than the variance of a single large estimate.
- Over time your b_0 and b_1 values will stabilize. Then you do not need to recalculate them every time you do an estimate.
- If b_0 and b_1 appear to be unreasonable (b_0 larger than the smallest code sizes and b_1 significantly larger or smaller than 1.0) then recheck your calculations, and you may need to use historical averages instead of the weights. A ratio based on averages can be calculated from the proportion of estimated object LOC to the estimated total new & changed LOC.
- Until you have sufficient data (> 2 estimated programs), you will need to calculate the b 's from actual program data and make estimates based on averages of the actual program data as described above.
- Make revised estimates (in large projects) at various phases when you have additional information.
- Don't try to correct estimating errors every time - statistical variation is natural and OK. Relying on historical data will eventually help correct errors as this database goes larger over time.

AU INSY 560, Winter 1997, Dan Turk

Humphrey Ch. 5b - slide 5

Homework #4

- Program 4A
 - Linear regression parameters
 - See p. 755-757, 543-547, and Assignment Kit #4

AU INSY 560, Winter 1997, Dan Turk

Humphrey Ch. 5b - slide 6